Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



WHOLESALE APAINS
PRICE LIST
1-9-3-7

62.61



TO THE PROPERTY.

MERRICK ROAD

SPRINGFIELD GARDENS

Long Island, N. Y.

Nurseries also at HIGBIE LANE BABYLON, L. I.

MEMBER OF LONG ISLAND NURSERYMEN'S ASSOCIATION

TELEPHONE LAURELTON 8-1119 PRICES in this list are net,
F. O. B. our Nurseries, subject to change
without notice; balling and burlapping free
of charge for Evergreens but an additional
charge will be made if Deciduous Stock is
requested balled and burlapped. This Catalogue cancels all previous quotations.

STOCK especially selected will be priced according to value.

TERMS: Cash.

さんとうとうとうとうとうとうとうとうとうとうとうとうとうとうとう

TRUCKING and PACKING is additional at cost.

CONTENTS

| * / 1 | 3 | | | Page |
|---------------------|----------|---------|---|-------|
| Coniferous and Broa | adleaved | Evergre | ens | 3 |
| Roses | z. |) | | 26 |
| Deciduous Trees and | Shrubs | ÷ | | 18 |
| Vines | ,,, | | | 30 |
| Fruit Trees | | | | 31 |
| Hardy Herbaceous | Perennia | ls | 7 / / / / / / / / / / / / / / / / / / / | 3.1 |
| Lawn Grass-Seed | Ju 1 10 | F | | 33 |
| Peatmoss | | | | |
| Reedmats | | | | 32 |
| Berry Bearing Trees | and Shri | ubs | | 33 |
| Index | | | | 34-35 |

CONIFEROUS AND BROADLEAVED EVERGREENS

| ABELIA g | rranc | liflora | Gl | ossy Abelia |
|--------------------------------|-------|---|---|-------------|
| | | pot growi | | .50 |
| $\frac{172-2}{2-2\frac{1}{2}}$ | | pot grown | | .75 |
| | | В & В | • | · - |
| | | | | .90 |
| ABIES aris | | | | Cork Fir |
| 12-15 | | | | .50 |
| 15-18 | | | | .70 |
| $1\frac{1}{2}-2$ | ft. | | | .90 |
| balsamea | l | | | Balsam Fir |
| $2\frac{1}{2}-3$ | ft. | | | .80 |
| 3-4 | ft. | | | 1.10 |
| 4-5 | ft. | | | 1.50 |
| 5-6 | | | | 2.00 |
| | | | | |
| concolor | - | | | White Fir |
| $1\frac{1}{2}-2$ | | | | .75 |
| $2-2\frac{1}{2}$ | | | | 1.00 |
| $2\frac{1}{2}-3$ | | | | 1.25 |
| 3-4 | ft. | | | 1.75 |
| 4-5 | ft. | | | 2.75 |
| 5-6 | ft. | | | 4.00 |
| douglasi (| see F | SEUDOTS | SUGA, page 11) | |
| homolep | is | | | Nikko Fir |
| $1\frac{1}{2}-2$ | _ | | • | .65 |
| 2-3 | ft. | | | 1.00 |
| 3-4 | ft. | | | 1.50 |
| 4-5 | ft. | | | 2.50 |
| 5-6 | ft. | | | 4.00 |
| Veitchii | | | | Veitch Fir |
| $1\frac{1}{2}-2$ | ft. | | | .80 |
| $2-2\frac{1}{2}$ | _ | | | 1.00 |
| $2\frac{1}{2}-3$ | | | | 1.30 |
| 3-4 | ft. | | | 1.70 |
| 4-5 | ft. | | | 2.25 |
| 5-6 | ft. | | | 4.00 |
| • = | | | ERIS, page 10) | 4.00 |
| AZALEA | | , | Purple Red Japa | nese Azalea |
| 8-10 | in. | | pic Kei jupu | .45 |
| 10-12 | in. | | | .50 |
| 12-15 | in. | *************************************** | | .75 |
| | • | | •••••• | |
| 15-18 | in. | *************************************** | | .90 |
| 18-21 | in. | | | 1.25 |
| 21-24 | | ••••• | | 1.50 |
| 2-2 1/2 | it. | | | 2.00 |
| flame | • | | • | Red Azalea |
| 9-12 | | | | .60 |
| 12-15 | in. | | | .75 |
| 15-18 | in. | | | 1.20 |
| 18-21 | in. | | | 1.75 |
| 24 | in. | | | 2.50 |

| AZALEA | hino | degiri <i>Red Japan</i> | iese Azalea |
|------------------|------------------|---|--------------|
| 8-10 | | , , , , , , , , , , , , , , , , , , , | .60 |
| 10-12 | | | .75 |
| | in. | | .90 |
| 15-18 | | | 1.25 |
| 18-21 | | | 2.00 |
| 24 | in. | | 3.00 |
| | | | |
| 30 | | specimens | 5.00 |
| hinomay | | Soft P | ink Azalea |
| 10-12 | in. | | .70 |
| 12-15 | in. | | 1.00 |
| 15-18 | in. | | 1.50 |
| ledifolia | alba | (Indica alba) White Japan | iese Azalea |
| | in. | , | 1.00 |
| | in. | | 1.50 |
| $1\frac{1}{2}-2$ | | | 2.00 |
| 2 | ft. | | 2.75 |
| | | | |
| macrantl | | | non Azalea |
| 8-10 1 | \mathbf{n} . s | pread | .60 |
| magnific | a (I: | ndica rosea) | |
| 15-18 | in. | | 1.50 |
| 18-21 | in. | | 2.00 |
| 21-24 | in. | | 2.50 |
| maxwelli | | Deah R | lose, Single |
| 10-12 | | '• | .75 |
| | | | |
| 15-18 | | | 1.25 |
| 18-21 | ın. | | 1.75 |
| poukhan | ensis | Lilac, Kor | ean Azalea |
| 12-15 | in. | | 1.50 |
| snow | | I | ure White |
| 6-9 | in. | | .75 |
| yayegiri | | Salmon Red, Se | |
| | : | • | |
| | | | |
| | | | |
| (Fo | r ot | her AZALEAS, see page | 19) |
| BERBERIS | ilici | ifolia Holl | y Barberry |
| 15-18 | in. | | _ |
| juliana | | | |
| • | | | .25 |
| 12-15 | in. | | .50 |
| sargenti | | , | |
| | in. | | .50 |
| verruculo | | \ | •,, 0 |
| | | | .75 |
| | | | |
| | | lis (see THUJA orientalis, | , |
| BUXUS ja | poni | ca Japanese | Boxwood |
| 15 in | ı . | | .40 |
| 2½ ft | | | 2.50 |
| | | Myrtle Leaj | |
| | in. | | .30 |
| | in. | | .40 |
| 12-15 | | | .50 |
| 12-1) | 111. | •••••• | .) 0 |

| BUXUS ser | npei | evirens (BUSHES) | Boxwood |
|---|---|---|--|
| 8-10 | in. | | .25 |
| 10-12 | | | .35 |
| 10-12 | in. | extra heavy | .40 |
| 12-15 | | | .40 |
| 12-15 | in. | extra heavy | .50 |
| | | | .75 |
| | | ra heavy | |
| 18-21 | in. | | 1.00 |
| 18-21 | in. | extra heavy | 1.50 |
| 21-24 | in. | | 1.50 |
| 21-24 | in. | extra heavy | 2.00 |
| 24-27 | in. | | 2.25 |
| 27-30 | in. | | 3.00 |
| 30 | in. | | 4.00 |
| GLOBES | | | |
| 16-18 | in. | | 1.75 |
| 18-20 | in. | | 2.25 |
| 20-22 | in. | | 2.75 |
| PYRAMID | S | | |
| 21 | in. | | 1.25 |
| 2 | ft. | | 1.50 |
| $2\frac{1}{2}$ | ft. | | 2.25 |
| | | | |
| | | | |
| 3 1/2 | It. | | <i>3./</i>) |
| | | 1 1 | |
| sempervi | rens | handsworthi aurea | h Rowwood |
| sempervi | | handsworthi aurea Golden Handswort | b Boxwood .45 |
| | in | Golden Handswort, | .45 |
| 10 suffrution | in osa | Golden Handswort | .45 f Boxwood |
| 10 suffrutio | in osa in. | Golden Handswort. True Dwar bare roots | .45 f Boxwood .06 |
| 10 suffrutio 4 4-6 | in osa in. in. | Golden Handswort, True Dwar bare roots | .45 f Boxwood .06 .08 |
| 10 suffrutio 4 4-6 6-8 | in osa in. in. | Golden Handswort | .45 f Boxwood .06 .08 .12 |
| 10 suffrutio 4 4-6 6-8 6-8 | in osa in. in. in. | Golden Handswort | .45 f Boxwood .06 .08 .12 .25 |
| 10 suffrutio 4 4-6 6-8 6-8 8-10 | in osa in. in. in. in. | Golden Handswort. True Dwar bare roots """ heavy B&B | .45 f Boxwood .06 .08 .12 .25 .50 |
| 10 suffrutio 4 4-6 6-8 6-8 8-10 | in osa in. in. in. in. | Golden Handswort | .45 f Boxwood .06 .08 .12 .25 .50 |
| 10 suffrution 4 4-6 6-8 6-8 8-10 10-12 | in. in. in. in. in. | Golden Handswort. True Dwar bare roots """ heavy B&B | .45 f Boxwood .06 .08 .12 .25 .50 .75 |
| 10 suffrution 4 4-6 6-8 6-8 8-10 10-12 12-15 | in. in. in. in. in. in. | Golden Handswort. True Dwar bare roots "" heavy B&B B&B | .45 f Boxwood .06 .08 .12 .25 .50 .75 |
| 10 suffrution 4 4-6 6-8 6-8 8-10 10-12 12-15 | in. in. in. in. in. in. in. in. | Golden Handswort. True Dwar bare roots "" heavy B&B B&B B&B 1.0 B&B | .45 f Boxwood .06 .08 .12 .25 .50 .75 |
| 10 suffrution 4 4-6 6-8 6-8 8-10 10-12 12-15 15 | in. in. in. in. in. vi | Golden Handswort. True Dwar bare roots "" heavy B&B B&B B&B 1.0 B&B | .45 f Boxwood .06 .08 .12 .25 .50 .75 0-1.25 0-1.75 Heather |
| 10 suffrution 4 4-6 6-8 6-8 8-10 10-12 12-15 15 CALLUNA | in. | Golden Handswort. True Dwar bare roots """ heavy B&B B&B B&B 1.0 B&B 1.5 | .45 f Boxwood .06 .08 .12 .25 .50 .75 0-1.25 0-1.75 Heather .25 |
| 10 suffrution 4 4-6 6-8 6-8 8-10 10-12 12-15 15 CALLUNA | in. | Golden Handswort. True Dwar bare roots """ heavy B&B B&B B&B 1.0 B&B 1.5 algaris 2 yrs. 3 yrs. | .45 f Boxwood .06 .08 .12 .25 .50 .75 0-1.25 0-1.75 Heather .25 |
| 10 suffrution 4 4-6 6-8 6-8 8-10 10-12 12-15 15 CALLUNA 6 8-10 —alba | in. in. in. in. in. in. in. in. in. | Golden Handswort. True Dwar bare roots """ heavy B&B B&B B&B 1.0 B&B 1.5 algaris 2 yrs. 3 yrs. | .45 f Boxwood .06 .08 .12 .25 .50 .75 0-1.25 0-1.75 Heather .25 .60 |
| 10 suffrution 4 4-6 6-8 6-8 8-10 10-12 12-15 15 CALLUNA 6 8-10 —alba 8-10 | in. | Golden Handswort. True Dwar bare roots """ heavy B&B B&B B&B 1.0 B&B 1.5 algaris 2 yrs. 3 yrs. Wh | .45 f Boxwood .06 .08 .12 .25 .50 .75 0-1.25 0-1.75 Heather .25 .60 ite Heather .60 |
| 10 suffrution 4 4-6 6-8 6-8 8-10 10-12 12-15 15 CALLUNA 6 8-10 —alba 8-10 CEDRUS | in. in. in. in. in. in. in. in. deod | Golden Handswort. True Dwar bare roots """ heavy B&B B&B B&B 1.0 B&B 1.5 algaris 2 yrs. 3 yrs. What | .45 f Boxwood .06 .08 .12 .25 .50 .75 0-1.25 0-1.75 Heather .25 .60 ite Heather .60 odar Cedar |
| suffrution 4 4-6 6-8 6-8 8-10 10-12 12-15 15 CALLUNA 6 8-10 —alba 8-10 CEDRUS 4-5 ft | in. in. in. in. in. in. in. in. deod | Golden Handswort. True Dwar bare roots """ heavy B&B B&B 1.0 B&B 1.5 algaris 2 yrs. 3 yrs. Who | .45 f Boxwood .06 .08 .12 .25 .50 .75 0-1.25 0-1.75 Heather .25 .60 ite Heather .60 odar Cedar 3.00 |
| suffrution 4 4-6 6-8 6-8 8-10 10-12 12-15 15 CALLUNA 6 8-10 —alba 8-10 CEDRUS 4-5 ft | in. in. in. in. in. in. in. in. deod | Golden Handswort. True Dwar bare roots """ heavy B&B B&B B&B 1.0 B&B 1.5 algaris 2 yrs. 3 yrs. What | .45 f Boxwood .06 .08 .12 .25 .50 .75 0-1.25 0-1.75 Heather .25 .60 ite Heather .60 odar Cedar 3.00 |

| CHAMAECYPARIS lawsonian | na alumi |
|--|--|
| | Blue Lawson Cypress |
| 3-4 ft | |
| 4-5 ft | |
| | |
| 5-6 ft | |
| —RETINOSPORA (see page | |
| COTONEASTER horizontalis | Rock Cotoneaster |
| 10-12 in. pot grown | .4 0 |
| | . .70 |
| $1\frac{1}{2}$ -2 ft. " " | 1.00 |
| | 'illow-leaf Cotoneaster |
| 18 in | • |
| | |
| CRYPTOMERIA lobbi compa | 7 7 |
| 2-3 ft | |
| 3-4 ft | |
| 4-5 ft | 2.00 |
| 5-6 ft | 2 . 75 |
| 6-7 ft | 4.00 |
| 7-8 ft | 6. 00 |
| 8-9 ft. | 0.00 |
| | |
| DAPHNE cneorum | Rose Daphne |
| 6-8 in | |
| 8-10 in | |
| 10-12 in | 7 5 |
| 12-15 in. | |
| 14-17 111 | |
| | |
| EUONYMUS japonicus micro | phyllus |
| EUONYMUS japonicus micro | phyllus Dwarf Burning Bush |
| EUONYMUS japonicus micro | phyllus Dwarf Burning Bush40 |
| EUONYMUS japonicus micros 8 in. radicans | phyllus Dwarf Burning Bush40 Wintercreeper |
| 8 in. radicans 12-15 in. bushy | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy | phyllus Dwarf Burning Bush40 Wintercreeper |
| 8 in. radicans 12-15 in. bushy 18 in. " | phyllus Dwarf Burning Bush .40 Wintercreeper35 .50 |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) | phyllus Dwarf Burning Bush .40 Wintercreeper |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. Varie gates | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. " | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. "" Veriegates 12-15 in. very bushy 15-18 in. "" | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. "" Vegetus 15-18 in. bushy | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. "" Veriegates 12-15 in. very bushy 15-18 in. "" | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. "" vegetus 15-18 in. bushy 1½-2 ft. "" | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. "" vegetus 15-18 in. bushy 1½-2 ft. GAULTHERIA procumbens | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. "" vegetus 15-18 in. bushy 1½-2 ft. GAULTHERIA procumbens 6 in. clumps | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. "" wegetus 15-18 in. bushy 1½-2 ft. GAULTHERIA procumbens 6 in. clumps HEDERA helix | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. "" wegetus 15-18 in. bushy 1½-2 ft. GAULTHERIA procumbens 6 in. clumps HEDERA helix 2 years, pot grown | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. " " -vegetus 15-18 in. bushy 1½-2 ft. " GAULTHERIA procumbens 6 in. clumps HEDERA helix 2 years, pot grown ILEX crenata | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. "" wegetus 15-18 in. bushy 1½-2 ft. GAULTHERIA procumbens 6 in. clumps HEDERA helix 2 years, pot grown ILEX crenata 1½-2 ft. | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. "" wegetus 15-18 in. bushy 1½-2 ft. GAULTHERIA procumbens 6 in. clumps HEDERA helix 2 years, pot grown ILEX crenata 1½-2 ft. 2-2½ ft. | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. " " -vegetus 15-18 in. bushy 1½-2 ft. " GAULTHERIA procumbens 6 in. clumps HEDERA helix 2 years, pot grown ILEX crenata 1½-2 ft. 2-2½ ft. | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. " " -vegetus 15-18 in. bushy 1½-2 ft. " GAULTHERIA procumbens 6 in. clumps HEDERA helix 2 years, pot grown ILEX crenata 1½-2 ft. 2-2½ ft. | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. " " -vegetus 15-18 in. bushy 1½-2 ft. " GAULTHERIA procumbens 6 in. clumps HEDERA helix 2 years, pot grown ILEX crenata 1½-2 ft. 2-2½ ft. 2-1½-3 ft. 3-4 ft. | phyllus Dwarf Burning Bush |
| 8 in. radicans 12-15 in. bushy 18 in. minimus (kewensis) 24 in. —variegatus 12-15 in. very bushy 15-18 in. " " -vegetus 15-18 in. bushy 1½-2 ft. " GAULTHERIA procumbens 6 in. clumps HEDERA helix 2 years, pot grown ILEX crenata 1½-2 ft. 2-2½ ft. 2-1½-3 ft. 3-4 ft. | phyllus Dwarf Burning Bush |

| ILEX conver | xa | (bullata | Boxleaf J | apan Holly |
|-------------------------------|------|---|-----------------|--------------------|
| 15 in. | bus | shy | | .75 |
| glabra | | | | Inkberry |
| 15-18 i | n. | • | ••••• | .50 |
| $2-2\frac{1}{2}$ f | ft. | | | 1.50 |
| opaca | | | Amer | ican Holly |
| 1 ½-2 f | ft. | | | 1.00 |
| $\frac{2-2 \frac{1}{2}}{2}$ f | | | | 1.25 |
| • | _ | | | 1.75 |
| 3-4 f | | | | 2.50 |
| | ft. | | | 3.50 |
| | | | | 4.50 |
| | ft. | | 5.0 | |
| | • | | | 0-8.00 |
| | | | EARING PLANTS | |
| 4-9 ft. | qu | otation | upon selection | |
| IUNIPER US | Sc | hinensis | albo variegata | |
| J 01 (11 22 0 0) | | | White-Leaf Chin | ese Iuniber |
| 2-3 f | ft. | | | 1.25 |
| -columnari | S | | Column Chin | ese Iuniter |
| | | | | , . |
| , – | ft. | | | 1.50 |
| | Et. | | | 2.25 |
| 5-6 f | | | | 2.75 |
| 6-7 f | | | | 4.00 |
| | | • · • • • • • • • • | _ | |
| —pfitzerian: | | | • | zer Juniper .90 |
| | | spread | | 1.25 |
| $2-2\frac{1}{2}$ f | | ,, | | |
| $2\frac{1}{2}-3$ f | | ,, | | 1.75 |
| $3-3\frac{1}{2}$ f | _ | ,, | | 2.50 |
| $3\frac{1}{2}-4$ f 4-5 f | | ,, | | 3.00 |
| | | | | 4.00 |
| communis | _ | 1 | | on Juniper |
| $2-2\frac{1}{2}$ 1 | tt. | spread | _ ** _ | 1.25 |
| aurea | | • | Golden Comm | , - |
| | | - | | .60 |
| $1\frac{1}{2}-2$ f | tt. | ,, | | 1.00 |
| —hibernica | _ | | | ish Juniper |
| | _ | | | .75 |
| • | | | | 1.00 |
| 3-4 f | Et. | | | 1.25 |
| 4-5 f | ft. | ••••• | | 1.75 |
| suecica | | | Swed | ish Juniper |
| $2-2\frac{1}{2}$ f | Et. | | | .75 |
| $2\frac{1}{2}-3$ f | Et. | | | 1.00 |
| excelsa str | rict | a | Spiny Gre | rek Juniper |
| 10-12 i | n. | | | .45 |
| 12-15 i | n. | | | .60 |
| | n. | | | 75 |
| $1\frac{1}{2}-2$ f | t. | | | .90 |
| $2-2\frac{1}{2}$ f | | | | 1.10 |
| $2\frac{1}{2}-3$ f | t. | | | 1.60 |

| JUNIPERUS horizontalis | Bar Harbor |
|-------------------------|------------------------------|
| | Bar Harbor Juniper |
| 15-18 in | 75 |
| plumosa | Plumed Spreading Juniper |
| 2-2 ½ ft | 1.00 |
| $2\frac{1}{2}-3$ ft | 1.50 |
| rigeda pendula | Weeping Juniper |
| 5-6 ft | |
| sabina tamarisifolia | Tamarix Savin Juniper |
| 12-15 in. spread | |
| 15-18 in. " | 1.25 |
| $1\frac{1}{2}$ -2 ft. " | 2 . 00 |
| 3-4 ft. " | 3.50 |
| sphaerica (Chin. fortur | nei) |
| 5-6 ft | • |
| squamata meyeri | Meyer Juniper |
| 10-12 in | |
| | |
| | 1.10 |
| | 1.25 |
| • | Red Cedar |
| virginiana 5-6 ft | |
| 6-7 ft | |
| | 4.20 |
| | 6.00 |
| 10-12 ft | |
| | 12.00-15.00 |
| —glauca | Silver Red Cedar |
| <u> </u> | 1.50 |
| | 2.00 |
| | 3.00 |
| KALMIA angustifolia | Sheep Laurel |
| 15 in | _ |
| | |
| latifolia 15-18 in | Mountain Laurel |
| $1\frac{1}{2}$ -2 ft | |
| $\frac{1}{2}$ -2 It | |
| $2\frac{1}{2}$ -3 ft | |
| $3-3\frac{1}{2}$ ft | |
| • | 5.00 |
| | s, with good balls of earth) |
| 2 ft | |
| LEIOPHYLLUM buxifoli | um Box Sand Myrtle |
| | 1.00 |
| LEUCOTHOE catesbaei | Drooping Leucothoe |
| 12-15 in | ~ 0 |
| 15-18 in | |
| $1\frac{1}{2}$ -2 ft | |
| LONICERA nitida | |
| 12 in | 40 |
| | • 10 |

| MAHONIA a | quifolium | Oregon | Hollygrape |
|---|----------------|---|---|
| 12-15 in. | | | .50 |
| 15-18 in. | | • | .60 |
| $1\frac{1}{2}$ -2 ft. | | • | .90 |
| | ORA terminalis | | nese Spurge |
| 1 yr fie | eld grown | | .04 |
| | d grown heavy | | .06 |
| | d grown | | .08 |
| | oots | | .06 |
| | oots | | .08 |
| _ | oots | | .12 |
| PICEA canade | | | hite Spruce |
| $1\frac{1}{2}-2$ ft. | | | .75 |
| engelmanni | | Engelm | ann Spruce |
| $2-2\frac{1}{2}$ ft. | | | 1.20 |
| excelsa | | | way Spruce |
| | | | .50 |
| | | | .75 |
| · - | | | .90 |
| | | | 1.00 |
| | | | 1.25 |
| | | | 2.00 |
| 6-7 ft. | | | 2.50 |
| 7-8 ft. | | | 3.50 |
| | | | |
| | | | 5.00 |
| | | | 5.00 way Spruce |
| 8-10 ft. —nana compa | | warf Nor | way Spruce |
| 8-10 ft. —nana compa 10 in. | cta Di | warf Nor | way Spruce |
| 8-10 ft. —nana compa 10 in. | cta D1 | warf Nor | way Spruce 1.25 |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula | cta D1 | warf Nor | way Spruce 1.25 1.75 |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic | cta Di Weej | warf Nor | way Spruce 1.25 1.75 way Spruce 1.00 erta Spruce |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic 2 ft. | cta Di Weej | warf Nor | 1.25 1.75 way Spruce 1.00 erta Spruce 3.00 |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic 2 ft. 2½ ft. | cta Di Weej | bing Nor | 1.25 1.75 way Spruce 1.00 erta Spruce 3.00 4.00 |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic 2 ft. 2½ ft. | cta Di Weej | bing Nor | 1.25 1.75 way Spruce 1.00 erta Spruce 3.00 4.00 |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic 2 ft. 2½ ft. 3 ft. orientalis | weep | warf Nor | 1.25 1.75 way Spruce 1.00 erta Spruce 3.00 4.00 6.00 ental Spruce |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic 2 ft. 2½ ft. 3 ft. orientalis 7-8 ft. | weep | bing North | 1.25 1.75 way Spruce 1.00 erta Spruce 3.00 4.00 6.00 ental Spruce 10.00 |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic 2 ft. 2½ ft. 3 ft. orientalis 7-8 ft. 8-10 ft. | cta Di Weej | warf Nor | 1.25 1.75 way Spruce 1.00 erta Spruce 3.00 4.00 6.00 ntal Spruce 10.00 12.00 |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic 2 ft. 2½ ft. 3 ft. orientalis 7-8 ft. 8-10 ft. | weep | warf Nor | 1.25 1.75 way Spruce 1.00 erta Spruce 3.00 4.00 6.00 ntal Spruce 10.00 12.00 |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic 2 ft. 2½ ft. 3 ft. orientalis 7-8 ft. 8-10 ft. | cta Di Weej | bing North | 1.25 1.75 way Spruce 1.00 erta Spruce 3.00 4.00 6.00 ntal Spruce 10.00 12.00 |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic 2 ft. 2½ ft. 3 ft. orientalis 7-8 ft. 8-10 ft. 10-12 ft. pungens 15-18 in. | weep | bing North | 1.25 1.75 1.75 way Spruce 1.00 erta Spruce 3.00 4.00 6.00 ntal Spruce 10.00 12.00 16.00 |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic 2 ft. 2½ ft. 3 ft. orientalis 7-8 ft. 8-10 ft. 10-12 ft. pungens 15-18 in. 1½-2 ft. | weep | bing North | 1.25 1.75 1.75 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0 |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic 2 ft. 2½ ft. 3 ft. orientalis 7-8 ft. 8-10 ft. 10-12 ft. pungens 15-18 in. 1½-2 ft. 2-2½ ft. | weep | bing North | 1.25 1.75 1.75 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0 |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic 2 ft. 2½ ft. 3 ft. orientalis 7-8 ft. 8-10 ft. 10-12 ft. pungens 15-18 in. 1½-2 ft. 2½-3 ft. | Weep | warf Nor | 1.25 1.75 1.75 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0 |
| 8-10 ft. | Weep | bing North | 1.25 1.75 1.75 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0 |
| 8-10 ft. | Weep | bing North | 1.25 1.75 1.75 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0 |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic 2 ft. 2½ ft. 3 ft. orientalis 7-8 ft. 8-10 ft. 10-12 ft. pungens 15-18 in. 1½-2 ft. 2½-3 ft. 3-4 ft. 4-5 ft. 5-6 ft. | Weep | bing North | 1.25 1.75 1.75 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0 |
| 8-10 ft. | Weep | bing North | 1.25 1.75 1.75 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0 |
| 8-10 ft. | Weep | bing North | 1.25 1.75 2 |
| 8-10 ft. —nana compa 10 in. 12 in. —pendula 1½-2 ft. glauca conic 2 ft. 2½ ft. 3 ft. orientalis 7-8 ft. 8-10 ft. 10-12 ft. pungens 15-18 in. 1½-2 ft. 2½-3 ft. 2½-3 ft. 3-4 ft. 4-5 ft. 5-6 ft. 6-7 ft. | Weep | bing North | 1.25 1.75 1.75 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0 |

| PICEA pu | ngei | ns—glauca | Colorado | Blue Struce |
|---|------|---|---|-------------|
| 15-18 | | | | _ |
| | _ | | | |
| • | _ | | | |
| * | _ | | | |
| • | | | | |
| | ft. | | | |
| 4-5 | | | | |
| | ft. | | | |
| 6-7 | | | | |
| 7-8 | | | | |
| 8-10 | ft. | • | | 15.00 |
| Kosteri | | | | Blue Spruce |
| 15-18 | | | | |
| $1\frac{1}{2}-2$ | | | | |
| $2-2\frac{1}{2}$ | ft. | | | 3.00 |
| $2\frac{1}{2}-3$ | ft. | | | 4.00 |
| $3-3\frac{1}{2}$ | ft. | | | 5.00 |
| $3\frac{1}{2}-4$ | ft. | | | 6.50 |
| 4-5 | ft. | | | 9.00 |
| 5-6 | ft. | | | 11.00 |
| 6-7 | ft. | | | 14.00 |
| — — pend | ula | | Weeping | Blue Spruce |
| 3 ft. | | | • | 5.00 |
| PIERIS flo | ribu | ında | Mountain | Andromeda |
| 15-18 | in. | | | 1.50 |
| $1\frac{1}{2}-2$ | ft. | | | . 1.75 |
| $2-2\frac{1}{2}$ | ft. | | | . 2.50 |
| japonica | | · | Japanese | Andromeda |
| 10-12 | in. | | | .50 |
| 12-15 | in. | | | 75 |
| 15-18 | in. | | | 1.00 |
| $1\frac{1}{2}-2$ | | | | 4 4 5 |
| $\frac{1}{2} - \frac{1}{2}$ | | | | |
| $\frac{2}{2}\frac{1}{2}-3$ | | | | |
| PINUS cer | | | | |
| | | | | Stone Pine |
| $2^{1/2}-3$ | | •••• | | |
| 3 - 4 | | | | |
| | | | | |
| 5-6 | ft. | | | . 7.50 |
| densiflor | a ui | mbraculifera | • • • | |
| | | | Japanese | Table Pine |
| 15-18 | | | • | |
| $1\frac{1}{2}-2$ | _ | | | |
| $2-2\frac{1}{2}$ | | | | |
| $2^{1/2}-3$ | tt. | | · · · · · · · · · · · · · · · · · · · | 2.25 |
| montana | mu | ighus | | Mugho Pine |
| | | spread | | • |
| 15-18 | in | ,, | | 1.00 |
| $1\frac{1}{2}-2$ | | ,, | | 1.25 |
| $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ | | ,, | | 2.00 |
| / 2 | v • | • | | |

| PINUS nig | gra | (austriaca) | Ai | istrian Pine |
|------------------|-----|---|---|--------------|
| 3-4 | ft. | • | | 1.75 |
| 4-5 | ft. | | | 2.50 |
| 5-6 | ft. | • | | 4.00 |
| strobus | | | | White Pine |
| 2-3 | ft. | (sheared) | | |
| 3-4 | ft. | ` ,, | | |
| 4-5 | ft. | " | | 1.50 |
| 5-6 | ft. | ,, | | 2.25 |
| 6-7 | ft. | ,, | | 3.00 |
| 7-8 | ft. | ,, | | |
| 8-10 | ft. | | | 7.50 |
| 10 | ft. | | | |
| PINUS thu | | | | Black Pine |
| | | C | | |
| | | | | .80 |
| | | GA douglas | | Douglas Fir |
| $1\frac{1}{2}-2$ | _ | | | |
| $2-2\frac{1}{2}$ | | | | |
| $2\frac{1}{2}-3$ | | | | .90 |
| 3-4 | ft. | | | 1.20 |
| 4-5 | ft. | | ••••• | 1.80 |
| 5-6 | ft. | | | 2.25 |
| 6-7 | ft. | | | 3.00 |
| <i>7</i> -8 | ft. | • | | 4.00 |
| 8-9 | ft. | | | 6.00 |
| 9-10 | ft. | | | 8.00 |
| 10-12 | ft. | | 9 . 00 | -14.00 |
| PYRACAN | ۱TF | AA coccine | a Scarle | et Firethorn |
| 4-5 ft | aı | nnually trai | nsplanted | 2.00 |
| —lalandi | | | · Lalan | d Firethorn |
| 2-3 | ft. | Rec | ently | .9 0 |
| $3-3\frac{1}{2}$ | ft. | Trans | planted | 1.20 |
| $3\frac{1}{2}-4$ | ft. | or Pot | Grown | 1.50 |
| | ft. | | | 2.00 |
| RETINOSI | POF | RA (CHAN | MAECYPARIS) | |
| obtusa g | | • | • | |
| _ | | | | |
| | _ | | | |
| , | | | | |
| comp | | | Compact Hin | |
| _ | | | • | |
| | | | | |
| 12-15 | | | • | 1.00 |
| 15-18 | ın. | | | 1.50 |
| —nana | | • | Dwarf Hin | |
| 6 in. | | | | |
| 8 in. | | | | .80 |
| 10 in. | | | | 1.20 |
| 12 in. | | | | 1.75 |
| 15 in. | | | | 2.50 |
| 18 in. | | • | | 3.00 |
| | | | | |

| RETINO3 | POF | RA obtusa—youngi |
|--------------------------------------|-----|----------------------------|
| 4-5 | ft. | Young Golden Cypress 3.00 |
| | ı. | |
| pisifera 6-7 | ft. | Sawara Cypress |
| 5-7 7-8 | ft. | |
| 8-10 | ft. | 7.00 |
| | 10. | |
| aurea | r. | Golden Sawara Cypress |
| $2-2\frac{1}{2}$ $2\frac{1}{2}-3$ | | |
| $\frac{272-3}{3-4}$ | ft. | 1.50 |
| 4-5 | ft. | 2.00 |
| 5-6 | ft. | 3.00 |
| 6-7 | ft. | 4.00 |
| 7-8 | ft. | |
| filifera | | Thread Cypress |
| 3-4 | ft. | 1.50 |
| <i>7</i> -8 | ft. | 8.00 |
| | | Golden Thread Cypress |
| —aurea 12-15 | in. | |
| 15-18 | in. | 1.00 |
| $1\frac{1}{2}-2$ | _ | 1.50 |
| $2-2\frac{1}{2}$ | | 2.00 |
| $2\frac{1}{2}-3$ | | 2.50 |
| 3-4 | | |
| plumosa | | Plume Cypress |
| $1\frac{1}{2}-2$ | ft. | |
| $2-2\frac{1}{2}$ | | 7 5 |
| $2\frac{1}{2}-3$ | ft. | 90 |
| 3 - 4 | ft. | |
| 4-5 | ft. | 1.75 |
| | ft. | 2.25 |
| | ft. | 3.25 |
| 7-8 | ft. | 4.50 |
| 8-10 | ft. | |
| aurea | | Golden Plume Cypress |
| 12-15 | | |
| 15-18 | | |
| $1\frac{1}{2}-2$ | | |
| $\frac{2-2\frac{1}{2}}{2}$ | | |
| $2\frac{1}{2}-3$ | _ | 1.00 |
| 3-4 4-5 | ft. | |
| | | |
| aurea co | - | |
| 12-15 | | |
| $15-18$ $1\frac{1}{2}-2$ | | |
| , | | |
| —lutescens | | Dwarf Yellow Plume Cypress |
| | in. | |
| $15-18$ $1\frac{1}{2}-2$ | | |
| 1 72-2 | ıı. | 1.00 |

| RETINOS | POR | KA squarrosa veitchii V <i>eitch</i> M | oss Cypress |
|--|--|---|--|
| 15-18 | in. | | .60 |
| $1\frac{1}{2}-2$ | ft. | | .70 |
| $2-2\frac{I}{2}$ | ft. | | .85 |
| $2\frac{1}{2}-3$ | ft. | | 1.00 |
| 3-4 | ft. | | 1.50 |
| $4-4\frac{I}{2}$ | ft. | | 2.25 |
| 41/2-5 | ft. | | 3.00 |
| 5 | ft. | | 4.00 |
| RHODOD | ENI | DRON carolinianum | dodondron |
| | (Nu | Carolina Rho ersery Grown) Well Budded | |
| 12-15 | in. | | .75 |
| 15-18 | in. | | 1.00 |
| $1\frac{1}{2}-2$ | ft. | | 1.50 |
| $2-2\frac{1}{2}$ | ft. | | 2.25 |
| catawbie | | Catawba Rho | |
| 12-15 | • | rsery Grown) Well Budded | |
| | | | .75 1.00 |
| 15-18 | | | |
| | | 2.00 | |
| • | | 2.00 | |
| $2\frac{1}{2}-3$ | | 2.50 | |
| | | | 0-5.00 |
| | | 4.00 | |
| maximur | n | Rosebay Rho | ododendron |
| | | (Nursery Grown) | |
| 1 1/2-2 | ft. | 2 | |
| • | | (Nursery Grown) | 1.00 |
| $2-2\frac{I}{2}$ | ft. | (Nursery Grown) | 1.00 1.60 |
| $2-2\frac{1}{2}$ $2\frac{1}{2}-3$ | ft. ft. | (Nursery Grown) | 1.00 1.60 2.25 |
| $2-2\frac{1}{2}$ $2\frac{1}{2}-3$ $3-4$ | ft. ft. ft. | (Nursery Grown) | 1.00 1.60 2.25 0-4.00 |
| 2-2 ½ 2 ½-3 3-4 4-5 —HYBRII | ft. ft. ft. ft. | (Nursery Grown) 2.50 4.00 well budded | 1.00 1.60 2.25 0-4.00 -6.00 |
| 2-2 1/2 2 1/2-3 3-4 4-5 —HYBRII ALBUM EL | ft. ft. ft. ft. OS, | (Nursery Grown) 2.50 4.00 well budded Ns—Blush fading to white | 1.00 1.60 2.25 0-4.00 -6.00 |
| 2-2 1/2 2 1/2-3 3-4 4-5 —HYBRII ALBUM EL 15-18 | ft. ft. ft. ft. OS, EGA in. | (Nursery Grown) 2.50 4.00 well budded NS—Blush fading to white | 1.00 1.60 2.25 0-4.00 -6.00 |
| 2-2 1/2 2 1/2-3 3-4 4-5 —HYBRII ALBUM EL 15-18 | ft. ft. ft. ft. OS, EGA in. ft. | (Nursery Grown) 2.50 4.00 well budded Ns—Blush fading to white | 1.00 1.60 2.25 0-4.00 -6.00 |
| 2-2 1/2 2 1/2-3 3-4 4-5 —HYBRII ALBUM EL 15-18 1 1/2-2 3 | ft. ft. ft. o3, in. ft. ft. | (Nursery Grown) 2.50 4.00 well budded Ns—Blush fading to white | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 |
| 2-2 1/2 2 1/2-3 3-4 4-5 —HYBRII ALBUM EL 15-18 1 1/2-2 3 4 | ft. ft. ft. ft. O3, in. ft. ft. ft. | (Nursery Grown) 2.50 4.00 well budded Ns—Blush fading to white | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 |
| 2-2 1/2 2 1/2-3 3-4 4-5 —HYBRII ALBUM EL 15-18 1 1/2-2 3 4 AMERICA— | ft. ft. ft. OS, in. ft. ft. ftDee | (Nursery Grown) 2.50 4.00 well budded NS—Blush fading to white 10.00- p Red | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 |
| 2-2 1/2 2 1/2-3 3-4 4-5 —HYBRII ALBUM EL 15-18 1 1/2-2 3 4 AMERICA— | ft. ft. ft. OS, in. ft. ft. ftDee | (Nursery Grown) 2.50 4.00 well budded Ns—Blush fading to white | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 |
| 2-2 1/2 2 1/2-3 3-4 4-5 —HYBRII ALBUM EL 15-18 1 1/2-2 3 4 AMERICA— 15-18 1 1/2 | ft. ft. ft. O3, in. ft. ft. ft. ft. ft. ft. | (Nursery Grown) 2.50 4.00 well budded NS—Blush fading to white 10.00- P Red | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 12.00 |
| 2-2 \frac{1}{2} 2 \frac{1}{2}-3 3-4 4-5 —HYBRII ALBUM EL 15-18 1 \frac{1}{2}-2 3 4 AMERICA— 15-18 1 \frac{1}{2} 2 | ft. ft. ft. OS, in. ft. ft. ft. ft. ft. ft. | (Nursery Grown) 2.50 4.00 well budded NS—Blush fading to white 10.00- | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 12.00 |
| 2-2 \(\frac{1}{2} \) 2 \(\frac{1}{2} \) 3 - 4 4 - 5 —HYBRII ALBUM EL 15-18 1 \(\frac{1}{2} \) 2 AMERICA— 15-18 1 \(\frac{1}{2} \) 2 BOULE DE | ft. ft. ft. OS, EGA in. ft. ft. ft. NEIG | (Nursery Grown) 2.50 4.00 well budded NS—Blush fading to white 10.00- p Red GE—Pure White | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 12.00 2.00 3.00 6.00 |
| 2-2 ½ 2 ½-3 3-4 4-5 —HYBRII ALBUM EL 15-18 1 ½-2 3 4 AMERICA— 15-18 1 ½2 2 BOULE DE 15-18 | ft. ft. ft. os, in. ft. ft. ft. Neich in. | (Nursery Grown) 2.50 4.00 well budded NS—Blush fading to white 10.00- p Red GE—Pure White spread | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 12.00 2.00 3.00 6.00 |
| 2-2 ½ 2 ½-3 3-4 4-5 —HYBRII ALBUM EL 15-18 1 ½-2 3 4 AMERICA— 15-18 1 ½ 2 BOULE DE 15-18 CARACTACU | ft. ft. ft. OS, in. ft. ft. ft. NEIGHT. | (Nursery Grown) 2.50 4.00 well budded NS—Blush fading to white 10.00- p Red GE—Pure White spread Red | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 12.00 2.00 3.00 6.00 3.75 |
| 2-2 ½ 2 ½-3 3-4 4-5 —HYBRII ALBUM EL 15-18 1 ½-2 3 4 AMERICA— 15-18 1 ½ 2 BOULE DE 15-18 CARACTACU 15-18 | ft. ft. ft. os, in. ft. ft. ft. Neichin. | (Nursery Grown) 2.50 4.00 well budded NS—Blush fading to white 10.00- p Red GE—Pure White spread Red | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 12.00 2.00 3.00 6.00 3.75 1.50 |
| 2-2 ½ 2 ½-3 3-4 4-5 —HYBRII ALBUM EL 15-18 1 ½-2 3 4 AMERICA— 15-18 1 ½ 2 BOULE DE 15-18 CARACTACU 15-18 2 ½ | ft. | (Nursery Grown) 2.50 4.00 well budded NS—Blush fading to white 10.00- p Red GE—Pure White spread Red | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 12.00 2.00 3.00 6.00 3.75 |
| 2-2 ½ 2 ½-3 3-4 4-5 —HYBRII ALBUM EL 15-18 1 ½-2 3 4 AMERICA— 15-18 1 ½ 2 BOULE DE 15-18 CARACTACU 15-18 2 ½ CATAWBIEN | ft. ft. ft. OS, in. ft. ft. Pee in. ft. NEIGHT. In. IS. In. ft. NEIGHT. | (Nursery Grown) 2.50 4.00 well budded NS—Blush fading to white 10.00- p Red GE—Pure White spread Red ALBUM—White | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 12.00 2.00 3.00 6.00 3.75 1.50 6.00 |
| 2-2 ½ 2 ½-3 3-4 4-5 —HYBRII ALBUM EL 15-18 1 ½-2 3 4 AMERICA— 15-18 1 ½ 2 BOULE DE 15-18 CARACTACU 15-18 2 ½ CATAWBIEN 15-18 | ft. ft. ft. ft. ft. ft. ft. NEIGHT. ft. NEIGHT. ft. NSE in. | (Nursery Grown) 2.50 4.00 Well budded NS—Blush fading to white 10.00- P Red GE—Pure White spread Red ALBUM—White | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 12.00 2.00 3.00 6.00 3.75 1.50 6.00 1.50 |
| 2-2 ½ 2 ½-3 3-4 4-5 —HYBRII ALBUM EL 15-18 1 ½-2 3 4 AMERICA— 15-18 1 ½ 2 BOULE DE 15-18 CARACTACU 15-18 2 ½ CATAWBIEN 15-18 2 | ft. ft. ft. ft. os, in. ft. NEIGHT. ft. ft. NEIGHT. ft. NEIGHT. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft | (Nursery Grown) 2.50 4.00 well budded NS—Blush fading to white 10.00- p Red GE—Pure White spread Red ALBUM—White | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 12.00 2.00 3.00 6.00 3.75 1.50 6.00 |
| 2-2 ½ 2 ½-3 3-4 4-5 —HYBRII ALBUM EL 15-18 1 ½-2 3 4 AMERICA— 15-18 1 ½ 2 BOULE DE 15-18 CARACTACU 15-18 2 ½ CATAWBIEN 15-18 2 CHARLES E | ft. ft. ft. ft. ft. ft. ft. ft. NEIGHT. ft. SAGL | (Nursery Grown) 2.50 4.00 well budded NS—Blush fading to white 10.00- p Red GE—Pure White spread Red ALBUM—White | 1.00 1.60 2.25 0-4.00 -6.00 1.50 3.00 5.00 12.00 2.00 3.00 6.00 3.75 1.50 6.00 1.50 5.00 |

| CHARLES DICKENS—Vivid Scarlet | |
|-------------------------------------|--------------|
| 15-18 in | 2.50 |
| $1\frac{1}{2}$ -2 ft | 4.00 |
| 2 ft | 5.00 |
| 2 ½ ft | 7.50 |
| Dr. H. C. Dresselhuis—Aniline Red | |
| 15-18 in | 1.75 |
| 1 ½-2 ft. | 3.00 |
| 2 ft | 4.00 |
| 2½ ft | 5.00 |
| H. W. SARGENT—Rich Crimson | |
| 12-15 in | 1.50 |
| | 5.00 |
| Kettledrum—Deep Red | |
| 12-15 in | 2.00 |
| $1\frac{1}{2}$ -2 ft | 4.00 |
| LADY CLERMONT—Red, black blotch | |
| 12-15 in | 1.50 |
| $2\frac{1}{2}$ ft | 6.00 |
| Mrs. C. S. SARGENT—Rosy red | |
| 15-18 in | 1.75 |
| $1\frac{1}{2}$ -2 ft | 3.00 |
| $2-2\frac{1}{2}$ ft | 4.00 |
| Roseum Elegans—Rose Pink | |
| $1\frac{1}{2}$ -2 ft | 2.50 |
| $2\frac{1}{2}-3$ ft | 5.00 |
| $3-3\frac{1}{2}$ ft | 7.50 |
| SCIADOPITYS verticillata Umb | rella Pine |
| 15 in | 1.00 |
| 18 in | 1.50 |
| 2 ft | 2.50 |
| 6 ft 1 | 2.00 |
| TAXUS baccata Eng | glish Yew |
| Very useful for edging and window b | oxes |
| 12 in. Bushy | .30 |
| 15 in. " | .40 |
| 18 in. " | .50 |
| 1½-2 ft. Slender | .60 |
| $2-2\frac{1}{2}$ ft. " | .75 |
| $2\frac{1}{2}-3$ ft. " | 1.00 |
| —aurea | |
| 12 in | .40 |
| —overeindi Erect Eng | glish Yew |
| 4 ft | 6.00 |
| -repandens Spreading Eng | lish Yew |
| 9-12 in. spread | .50 |
| 12-15 in. " | .60 |
| 1)-18 in. | .90 |
| 1½-2 It | 1.50 |
| 2-2½ It | 2.00 3.00 |
| | 4.50 |
| / 2 | |

| TAXUS cu | _ | lata spread | Spreading | | ew |
|---|----------------------------|----------------------------------|--|--------------|----|
| $1\frac{1}{2}$ | | spread ,, | | | |
| | _ | ,, | | | |
| $2-2\frac{1}{2}$ | | ,, | 1 | | |
| $2-2\frac{1}{2}$ | - | ,, | heavy | | |
| $2\frac{1}{2}-3$ | _ | ,, | ••••• | | |
| $3-3\frac{1}{2}$ | | | | | |
| $3\frac{1}{2}-4$ | | " | | | |
| . 4-5 | | ** | 5 | .00-7.50 | |
| 5-6 | ft. | ,, | 7. | 50-10.00 | |
| -capitata | | | Upright | Japanese Y | ew |
| 12-15 | iņ. | regular | • | 40 | |
| 15-18 | | ,, | | 50 | |
| $1\frac{1}{2}-2$ | ft. | ** | | 75 | |
| $2-2\frac{1}{2}$ | | ,, | | 4 0 0 | |
| $\frac{2^{1/2}-3}{2^{1/2}-3}$ | _ | ,, | | | |
| $\frac{2}{3} - \frac{3}{4}$ | | ,, | | 2 22 | |
| $3 - 3 \frac{7}{2}$ $3 \frac{1}{2} - 4$ | | ,, | | | |
| · - | | ,, | | | |
| 4-4 1/2 | | ,, | •••••• | | |
| $4\frac{1}{2}-5$ | | ,, | | | |
| 5-6 | ft. | | | | |
| 6-7 | | ,, | | 6.0 0 | |
| <i>7</i> -8 | ft. | ,, | | 10.50 | |
| . 8 | ft. | ** | | 12.00 | |
| 9 | ft. | " | | 16.00 | |
| 21/ 2 | £. | hoarer | | 2.00 | |
| · | | neavy | | | |
| $3-3\frac{1}{2}$ | | ,, | ••••• | | |
| 3 1/2-4 | | ,, | | 4 | |
| $4-4\frac{1}{2}$ | | | | | |
| $4\frac{1}{2}-5$ | | ,, | | 5.00 | |
| 5-6 | ft. | ,, | | 6.00 | |
| 6-7 | ft. | ,, | | 7. 50 | |
| <i>7</i> -8 | ft. | ,, | | | |
| 5 6 | f. | moer b | 7 | 50 10 00 | |
| | | | eavy | | |
| 6-7 | It. | ••••• | 10. | 00-12.00 | |
| GLC effectub | OBE etiv pla d, b | S and P ^r ely used | capitata YRAMIDS, closel I in formal gard Ley resemble clip hardier. | ens or as | |
| • | | | | 1 60 | į |
| | | | | | |
| 18 in. | | | | | |
| 21 in. | | | | | |
| 24 in. | | | | | ļ |
| 30 in. | | | | 4.00 | |
| PYRA | | | | 4 400 | |
| | | ••••• | | | |
| 3 ft | | • • • • • • • • • • • • • | | | |
| $3\frac{1}{2}$ ft | | | ······ | 3.00 | |
| 4 ft | | | | 4.00 | |
| 5 ft | | | | 5.00 | |

| Taxus cuspidata capitata | |
|--------------------------|--|
|--------------------------|--|

LINING OUT STOCK

per 100 per 1000
12-15 in. T.T. bare roots \$25.00 \$225.00
15-18 in. T.T. " " 40.00 350.00

| cuspidat | a fas | stigata | Columnar Ja | panese Yew |
|------------------|-------|---|---------------------|-------------------|
| Colun | nnar | form | of the Japanese Yev | v. The |
| dense | _ | _ | growth is covered | with |
| | _ | • | lark green foliage. | |
| | | | | 4.00 |
| | | | | 5.00 |
| | | | | 6.00 |
| | | | | 7.50 12.00 |
| | | | | |
| —nana (b | | • | Dwarf Jaj l | banese Yew .75 |
| 10-12 | | spreac | | 1.00 |
| 15-18 | | ,, | | 1.50 |
| $1\frac{1}{2}-2$ | | ,, | | 2.00 |
| $2-2\frac{1}{2}$ | | ,, | | 3.00 |
| media hi | | | | Hicks Yew |
| 2-2 1/2 | _ | | | 1.75 |
| , | | | | 2.50 |
| $3-3\frac{1}{2}$ | ft. | | | 3.00 |
| $3\frac{I}{2}-4$ | ft. | | | 4.00 |
| THUJA od | ccide | entalis | American | Arborvitae |
| $2^{1/2}-3$ | ft. | | | .75 |
| 3 - 4 | ft. | | ••••• | 1.00 |
| 4-5 | _ | • • • • • • • | | 1.25 |
| 5-6 | ft. | | | 2.00 |
| 6-7 | ft. | • • • • • • • • | ••••• | 2.75 |
| -columbia | ı | | Columbia | Arborvitae |
| 3 - 4 | | | ••••• | 1.20 |
| 4-5 | ft. | | | 1.75 |
| —compact | a | | Parsons Dwarf | Arborvitae |
| 12-15 | in. | | | .50 |
| 15-18 | | | ••••• | .65 |
| $1\frac{I}{2}-2$ | ft. | | ••••• | 1.00 |
| -douglasi | aur | ea | Douglas Golden | Arborvitae |
| $2-2\frac{1}{2}$ | ft. | | | .90 |
| $2\frac{I}{2}-3$ | ft. | • | | 1.20 |
| globosa | | | Globe | Arborvitae |
| 12-15 | in. | diame | ter | .50 |
| 15-18 | in. | " | | .65 |
| 18-24 | in. | ,, | | 1.00 |
| —lutea | | | George Peabody | Arborvitae |
| $2\frac{1}{2}-3$ | ft. | | | .90 |
| 3 - 4 | ft. | • • • • • • • • • | | 1.20 |

| THILLA | ccid | entalis—pyramidalis |
|--|--|---|
| 1110322 | CCIC | Pyramidal Arborvitae |
| $2\frac{1}{2}-3$ | ft. | |
| $3-3\frac{1}{2}$ | | 1.00 |
| $3\frac{1}{2}-4$ | _ | |
| 4-5 | | 1.50 |
| 5-6 | ft. | 1.80 |
| 6-7 | ft. | 2.75 |
| 7-8 | ft. | 4.00 |
| -rosentha | li | Rosenthal Arborvitae |
| | _ | 1.00 |
| -spiralis | | Moss Arborvitae |
| 3-4 f | t. | 1.00 |
| 4-5 f | | 1.50 |
| 5-6 f | | 2.25 |
| orientali | | |
| | . ` | |
| | | 1.20 |
| 3- 4 4-5 | | 1 70 |
| | | |
| —aurea na | | Berckman's Golden Arborvitate |
| 10-12 | | |
| 12-15 | | |
| 15-18 | | |
| 18-21 | in. | |
| 21-24 | -114 | 1.50 |
| 2-2 1/2 | | |
| | | |
| 3 | ft. | |
| compact | a | Dwarf Oriental Arborvitae |
| compact | a in. | Dwarf Oriental Arborvitae |
| compact 12-15 15-18 | in. | Dwarf Oriental Arborvitae |
| compact 12-15 15-18 1½-2 | in. in. ft. | Dwarf Oriental Arborvitae |
| compact 12-15 15-18 1½-2 2-2½ | in. in. ft. ft. | Dwarf Oriental Arborvitae .40 .60 .80 1.00 |
| -compact 12-15 15-18 1½-2 2-2½ -elegantis | in. in. ft. ft. sima | Dwarf Oriental Arborvitae .40 .60 .80 .100 Yellow Column Arborvitae |
| -compact 12-15 15-18 1½-2 2-2½ -elegantis | in. in. ft. ft. sima | Dwarf Oriental Arborvitae .40 .60 .80 1.00 |
| -compact $12-15$ $15-18$ $1\frac{1}{2}-2$ $2-2\frac{1}{2}$ -elegantis $2\frac{1}{2}-3$ $3\frac{1}{2}-4$ | in. in. ft. ft. sima ft. ft. | Dwarf Oriental Arborvitae .40 .60 .80 1.00 Yellow Column Arborvitae 1.00 1.50 |
| -compact $12-15$ $15-18$ $1\frac{1}{2}-2$ $2-2\frac{1}{2}$ -elegantis $2\frac{1}{2}-3$ | in. in. ft. ft. sima ft. ft. | Dwarf Oriental Arborvitae .40 .60 .80 1.00 Yellow Column Arborvitae 1.00 |
| -compact $12-15$ $15-18$ $1\frac{1}{2}-2$ $2-2\frac{1}{2}$ -elegantis $2\frac{1}{2}-3$ $3\frac{1}{2}-4$ | in. in. ft. ft. sima ft. ft. ft. | Dwarf Oriental Arborvitae .40 .60 .80 1.00 Yellow Column Arborvitae 1.00 1.50 |
| compact 12-15 15-18 1½-2 2-2½elegantis 2½-3 3½-4 4 standishi | in. in. ft. ft. sima ft. ft. ft. | Dwarf Oriental Arborvitae .40 .60 .80 1.00 Yellow Column Arborvitae 1.50 2.00 |
| compact 12-15 15-18 1½-2 2-2½elegantis 2½-3 3½-4 4 standishi | in. in. ft. ft. sima ft. ft. ft. | Dwarf Oriental Arborvitae .40 .60 .80 1.00 Yellow Column Arborvitae 1.00 1.50 2.00 Standish Arborvitae |
| compact 12-15 15-18 1½-2 2-2½elegantis 2½-3 3½-4 4 standishi 4-5 | in. in. ft. ft. sima ft. ft. ft. ft. | Dwarf Oriental Arborvitae |
| compact 12-15 15-18 1½-2 2-2½elegantis 2½-3 3½-4 4 standishi 4-5 5-6 | in. in. ft. ft. sima ft. ft. ft. ft. anad | Dwarf Oriental Arborvitae |
| -compact 12-15 15-18 1½-2 2-2½ -elegantis 2½-3 3½-4 4 standishi 4-5 5-6 TSUGA ci | in. in. ft. ft. sima ft. ft. ft. anad in. | Dwarf Oriental Arborvitae |
| compact 12-15 15-18 1½-2 2-2½elegantis 2½-3 3½-4 4 standishi 4-5 5-6 TSUGA c: 15-18 1½-2 | in. in. ft. ft. sima ft. ft. ft. ft. ft. ft. ft. | Dwarf Oriental Arborvitae |
| -compact 12-15 15-18 1½-2 2-2½ -elegantis 2½-3 3½-4 4 standishi 4-5 5-6 TSUGA ci | in. in. ft. ft. sima ft. ft. ft. ft. ft. ft. ft. | Dwarf Oriental Arborvitae |
| -compact 12-15 15-18 1½-2 2-2½ -elegantis 2½-3 3½-4 4 standishi 4-5 5-6 TSUGA c: 15-18 1½-2 2-2½ | in. in. ft. ft. sima ft. ft. ft. ft. ft. ft. ft. | Dwarf Oriental Arborvitae |
| -compact 12-15 15-18 1½-2 2-2½ -elegantis 2½-3 3½-4 4 standishi 4-5 5-6 TSUGA c 15-18 1½-2 2-2½ 2½-3 | in. in. ft. ft. sima ft. ft. ft. ft. ft. ft. ft. ft. | Dwarf Oriental Arborvitae |
| compact 12-15 15-18 1½-2 2-2½elegantis 2½-3 3½-4 4 standishi 4-5 5-6 TSUGA c 15-18 1½-2 2-2½ 2½-3 3-4 4-5 | in. in. ft. ft. sima ft. ft. ft. ft. ft. ft. ft. ft. | Dwarf Oriental Arborvitae |
| -compact 12-15 15-18 1½-2 2-2½ -elegantis 2½-3 3½-4 4 standishi 4-5 5-6 TSUGA c 15-18 1½-2 2-2½ 2½-3 3-4 4-5 5-6 | in. in. ft. ft. sima ft. | Dwarf Oriental Arborvitae |
| -compact 12-15 15-18 1½-2 2-2½ -elegantis 2½-3 3½-4 4 standishi 4-5 5-6 TSUGA c 15-18 1½-2 2-2½ 2½-3 3-4 4-5 5-6 | a in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft | Dwarf Oriental Arborvitae |
| compact 12-15 15-18 1½-2 2-2½elegantis 2½-3 3½-4 4 standishi 4-5 5-6 TSUGA c 15-18 1½-2 2-2½ 2½-3 3-4 4-5 5-6 6-7 7-8 | in. in. ft. ft. sima ft. | Dwarf Oriental Arborvitae |
| compact 12-15 15-18 1½-2 2-2½elegantis 2½-3 3½-4 4 standishi 4-5 5-6 TSUGA c: 15-18 1½-2 2-2½ 2½-3 3-4 4-5 5-6 6-7 7-8pendula | in. in. ft. ft. sima ft. | Dwarf Oriental Arborvitae |
| compact 12-15 15-18 1½-2 2-2½elegantis 2½-3 3½-4 4 standishi 4-5 5-6 TSUGA c 15-18 1½-2 2-2½ 2½-3 3-4 4-5 5-6 6-7 7-8 | in. in. ft. ft. sima ft. | Dwarf Oriental Arborvitae |
| -compact 12-15 15-18 1½-2 2-2½ -elegantis 2½-3 3½-4 4 standishi 4-5 5-6 TSUGA c 15-18 1½-2 2-2½ 2½-3 3-4 4-5 5-6 6-7 7-8 -pendula 1½-2 | in. in. ft. ft. sima ft. | Dwarf Oriental Arborvitae |

| T3UGA card | liniana | Carolin | a Hemlock |
|-------------------------------|------------|---------------------------------------|-------------|
| $2\frac{1}{2}-3$ f | t . | | 1.50 |
| $3-3\frac{1}{2}$ f | t . | | 1.75 |
| $3\frac{1}{2}-4$ f | t . | | 2.25 |
| 4-5 f | t . | | 3.00 |
| 5-6 f | t . | | 4.00 |
| 6-7 f | t . | | 5.00 |
| VIBURNUM | l rhytido | phyllum Leatherleaf | Viburnum |
| $2-2\frac{1}{2}$ f | t | · · · · · · · · · · · · · · · · · · · | 1.00 |
| _ | | | |
| VINCA mine | or | | Periwinkle |
| Pot gro | wn | | .10 |
| • | | mps | |
| DECIA | HOUG 5 | TREES AND SHR | HDC |
| | | | |
| ACANTHO | PANAX | pentaphylum (Ara | |
| | | | leaf Aralia |
| | | | |
| ACER dasyca | - | | ilver Maple |
| | | | |
| · · | | | |
| • | | | |
| palmatum | atropurp | ureum Red Japa | nese Maple |
| | | ed) | |
| $2\frac{1}{2}-3$ f | | B&B or potgrown | 1.75 |
| 3-4 f | t. '' | 2.00 | -4.00 |
| 4-5 f | t. '' | 5.00 | 0-8.00 |
| —dissectum | purpureu | ım | |
| | | Purple Cutleaf Japa | nese Maple |
| 2 f | t | | 2.00 |
| platanoides | : | Nor | way Maple |
| $1\frac{1}{2}-1\frac{3}{4}$ | in. cal. | | 2.00 |
| $2-2\frac{1}{4}$ | in. cal. | | 2.20 |
| $2\frac{1}{4}-2\frac{1}{2}$ | in. cal. | | 2.50 |
| $2\frac{1}{2}-3$ | in. cal. | | 3.00 |
| $3-3\frac{1}{2}$ | in. cal. | | 4.90 |
| $3\frac{1}{2}-4$ | in. cal. | | 6.00 |
| $4-4\frac{1}{2}$ | in. cal. | | 9.00 |
| $4\frac{1}{2}-5$ | in. cal. | ••••• | 13.00 |
| -schwedleri | | Schwed | ler's Maple |
| $1\frac{1}{2}-1\frac{3}{4}$ | in. cal. | | 1.75 |
| $1\frac{3}{4}-2$ | in. cal. | | 2.00 |
| $2-2\frac{1}{4}$ | in. cal. | • | 2.50 |
| $2\frac{1}{4}-2\frac{1}{2}$ | in. cal. | , | 3.00 |
| rubrum | | | Red Maple |
| 2 | in. cal. | | 3.00 |
| 2 ^I / ₄ | in. cal. | | 4.00 |
| $2^{\frac{7}{1/2}}$ | in. cal. | | 5.00 |
| saccharum | | | igar Maple |
| $2-2\frac{1}{4}$ | in. cal. | | 3.00 |
| * * * | in. cal. | | 3.50 |
| | in. cal. | ••••• | 4.50 |
| • — | | | 6.00 |
| • | | | 9.00 |
| / | m. Cal. | | |
| $4-4\frac{I}{2}$ | | h | |

| AESCULUS hippocastanum 8 ft. | Horse Chestnut |
|------------------------------|------------------------|
| Dol Ti | 10 |
| —carnea Red Fl. | 4.50 |
| AMELANCHIER canadensis | Downy Shadhlow |
| 4-5 ft. | .80 |
| | |
| AMYGDALIS persica rubra | David Elamina David |
| | Double Flowering Peach |
| 4-5 ft | |
| ARALIA spinosa | Devil's Walking Stick |
| 4-5 ft | . 60 |
| 8-10 ft | |
| ARONIA arbutifolia | Red Chokeberry |
| 2-3 ft | |
| 3-4 ft. | |
| melanocarpa | Black Chokeberry |
| 3-4 ft | 50 |
| | |
| AZALEA amoena (See EVER | , |
| arborescens—white or blush | |
| 12-15 in | 7 5 |
| $1\frac{1}{2}$ -2 ft | 1.25 |
| calendulacea—yellow to ord | ange Flame Azalea |
| 2-2½ ft | ** |
| $2\frac{1}{2}$ -3 ft | |
| 3-4 ft | |
| 5-6 ft | |
| 6-7 ft | |
| | |
| hinodegiri (see EVERGRE) | |
| kaempferi— <i>orange red</i> | Torch Azalea |
| 15-18 in | 1.00 |
| $1\frac{1}{2}$ -2 ft | 1.25 |
| $2-2\frac{1}{2}$ ft | |
| mollis—yellow to orange | Chinese Azalea |
| 10-12 in. well budded . | |
| 12-15 in. "" | |
| | 1.20 |
| _ | 1.50 |
| , | 2.00 |
| , – | |
| mucronulata early lavender | |
| 15-18 in | |
| nudiflora—deep pink | Pinxterbloom Azalea |
| $1\frac{1}{2}$ -2 ft | 1.25 |
| $2-2\frac{1}{2}$ ft | 1.75 |
| pontica—yellow | Ghent Azalea |
| 15-18 in | |
| vaseyi album | Pure White |
| • | |
| $2-2\frac{1}{2}$ ft | |
| viscosa | 4 |
| $3-3\frac{1}{2}$ ft | |
| yodogawa—lavender | Yodogawa Azalea |
| 15-18 in | |
| $2\frac{1}{2}-3$ ft | 2.50 |

| BERBERIS thunbergi | Japanese Barberry |
|---------------------------------------|--------------------------|
| $1^{1/2}-2$ It | |
| —atropurpurea Re | d-leaf Japanese Barberry |
| 15-18 in | . 20 |
| $1\frac{1}{2}$ -2 ft | |
| BETULA alba | |
| 8-10 ft | 2.00 |
| | |
| 10-12 ft | |
| 12-14 ft | |
| (Specimens with one, two | |
| —laciniata | |
| | |
| 10-12 ft | |
| $2\frac{1}{2}$ in. cal. | |
| | Butterfly Bush |
| 3-4 ft | |
| Pot grown | |
| 9 | |
| CALLICARPA purpurea 2-3 ft. | |
| CALYCANTHUS floridus | |
| | |
| 2-3 ft | |
| CATALPA bungei | |
| Strong heads, $1\frac{1}{2}$ in. ca | |
| " $2-2\frac{1}{2}$ in. | cal 1.25 |
| CERCIS canadensis | |
| 6 ft | |
| -chinensis | Chinese Redbud |
| 2-3 ft | |
| | |
| CLETHRA alnifolia | |
| $2-2\frac{1}{2}$ ft | |
| COMPTONIA asplenifolia | |
| 15-18 in | |
| CORNUS alba (siberica) | |
| 4-5 ft | |
| | Silverblotch Dogwood |
| 3-4 ft | |
| | |
| 4-5 ft | |
| CORNUS florida Wh | |
| 4-5 ft | 1.00 |
| 5-6 ft | 1.50 |
| 6-7 ft | 2.00 |
| 7-8 ft | 3.00-4.00 |
| 8-10 ft | |
| 10-12 ft | |
| | |
| | ed Flowering Dogwood |
| 4-5 ft | |
| 5-6 ft | |
| | 3.50 |
| 7-8 ft | 4.00-6.00 |
| kousa | Kousa Dogwood |
| 3-4 ft. | |
| 6-7 ft | |
| · · · · · · · · · · · · · · · · · · · | |
| 78 ft | |
| 7-8 ft 8-10 ft | 3.00-4.00 |

| CORNUS mas | Cornelian Cherry |
|--|-------------------------|
| 2-3 ft | |
| stolonifera lutea | Golden Bark Dogwood |
| 2-3 ft | |
| CORYLUS avellana | Filbert |
| 4-5 ft | |
| | |
| CRATAEGUS oxyacantha I | |
| | Paul's Scarlet Hawthorn |
| 6-7 ft | 2.50 |
| CYDONIA japonica | Flowering Quince |
| 2 ft | |
| $2\frac{1}{2}$ -3 ft | |
| The state of the s | Scotch Broom |
| 1½-2 ft | |
| DAPHNE mezereum | |
| | February Daphne |
| 1½-2 ft. B&B | |
| 2-2½ ft. B&B | |
| | White February Daphne |
| | |
| DEUTZIA gracilis | Slender Deutzia |
| 1½ ft | 25 |
| rosea | Rose Panicle Deutzia |
| 2-2½ ft | |
| lemoine | Lemoine Deutzia |
| 2-3 ft | |
| scabra crenata fl. pl. | Double Pink Deutria |
| 3-4 ft | |
| ENKIANTHUS campanula | |
| <u>.</u> | |
| 3 ft | |
| 4 ft | 2.00 |
| EUONYMU3 alatus | • |
| 3-4 ft | |
| 4-5 ft | |
| yeodoensis | Chinese Euonymus |
| 3-4 ft | |
| 4-5 ft | 7 0 |
| EXOCHORDA grandiflora | Pearl Bush |
| 3-4 ft | |
| FAGUS sylvatica | European Beech |
| 3-4 ft. B&B | 1 <u>4</u> |
| 4-5 ft. B&B | |
| _ | |
| | 1.20 |
| | 2.00 |
| | 3.25 |
| 8-10 ft. B&B | _ |
| —purpurea | Purple Beech |
| 7 ft | 5.00 |
| 12 ft | 20.00 |
| FORSYTHIA intermedia | Border Golden Bell |
| 3-4 ft | |
| 4-6 ft. | |
| suspensa fortunei | Fortune Golden Bell |
| 3-4 ft | |
| | |
| 4-5 ft | 4 0 |

| FORSYTHIA spectabilis Sho | owy Border Golden Bell |
|--|------------------------|
| 3-4 ft | |
| 4-5 ft | |
| viridissima Gre | en Barked Golden Bell |
| 3-4 ft | |
| FRANKLINIA alatamaha | Gordonia |
| 2-2 ½ ft. B&B | 1.00 |
| | 1.50 |
| FRAXINUS americana | White Ash |
| $1\frac{3}{4}$ -2 in. cal | |
| GINGKO biloba | Maidenhair Tree |
| 7-8 ft | |
| 2 ¹ / ₂ in. cal | |
| 3 in. cal | |
| • | |
| GYMNOCLADUS dioica | |
| 6-7 ft | |
| HIBISCUS syriacus | |
| Double White, Double Pink | • |
| • 3-4 ft | |
| 4-5 ft | |
| 5-6 ft. Pastel Blue | |
| 8 ft. White and Pink | 1.75 |
| TREEFORM, White and Pini | k |
| 8-9 ft | 2.00 |
| HYDRANGEA arb. | Snow Hill Hydrangea |
| 2-3 ft | |
| | |
| opuloides otaksa | House Hydrangea |
| opuloides otaksa $1\frac{1}{2}$ -2 ft. tub grown | House Hydrangea |
| opuloides otaksa 1½-2 ft. tub grown paniculata grandiflora | House Hydrangea |
| $1\frac{1}{2}$ -2 ft. tub grown | |
| 1½-2 ft. tub grown paniculata grandiflora | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens | 1.50-2.50 |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum 2 yr. | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola 2-2½ ft. | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola 2-2½ ft. verticillata | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola 2-2½ ft. verticillata 2-3 ft. | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola 2-2½ ft. verticillata 2-3 ft. 3-4 ft. | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola 2-2½ ft. verticillata 2-3 ft. 3-4 ft. JASMINUM nudiflorum | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola 2-2½ ft. verticillata 2-3 ft. 3-4 ft. JASMINUM nudiflorum 2-3 ft. pot grown | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola 2-2½ ft. verticillata 2-3 ft. 3-4 ft. JASMINUM nudiflorum 2-3 ft. pot grown 3-4 ft. pot grown | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola 2-2½ ft. verticillata 2-3 ft. 3-4 ft. JASMINUM nudiflorum 2-3 ft. pot grown 3-4 ft. pot grown KERRIA japonica flore plena | |
| 1½-2 ft. tub grown paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola 2-2½ ft. verticillata 2-3 ft. 3-4 ft. JASMINUM nudiflorum 2-3 ft. pot grown 3-4 ft. pot grown KERRIA japonica flore plena 2-3 ft. | |
| paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3 ½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola 2-2½ ft. verticillata 2-3 ft. 3-4 ft. JASMINUM nudiflorum 2-3 ft. pot grown 3-4 ft. pot grown KERRIA japonica flore plena 2-3 ft. KOELREUTERIA paniculata | |
| paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3 ½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola 2-2½ ft. verticillata 2-3 ft. 3-4 ft. JASMINUM nudiflorum 2-3 ft. pot grown 3-4 ft. pot grown KERRIA japonica flore plena 2-3 ft. KOELREUTERIA paniculata 6-7 ft. | |
| paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola 2-2½ ft. verticillata 2-3 ft. 3-4 ft. JASMINUM nudiflorum 2-3 ft. pot grown 3-4 ft. pot grown KERRIA japonica flore plena 2-3 ft. KOELREUTERIA paniculata 6-7 ft. 8-9 ft. | |
| paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola 2-2½ ft. verticillata 2-3 ft. 3-4 ft. JASMINUM nudiflorum 2-3 ft. pot grown 3-4 ft. pot grown KERRIA japonica flore plena 2-3 ft. KOELREUTERIA paniculata 6-7 ft. 8-9 ft. KOLKWITZIA amabilis | |
| paniculata grandiflora 2-3 ft. 3-4 ft. TREEFORM 5 ft., height of stem 3½ 5 ft., specimens HYPERICUM moserianum 2 yr. ILEX monticola 2-2½ ft. verticillata 2-3 ft. 3-4 ft. JASMINUM nudiflorum 2-3 ft. pot grown 3-4 ft. pot grown KERRIA japonica flore plena 2-3 ft. KOELREUTERIA paniculata 6-7 ft. 8-9 ft. | |

| I ADIDATIA 1 | |
|-----------------------------|--------------------|
| LABURNUM vulgare | Golden Chain |
| 4-5 ft | |
| 5-6 ft. | |
| LARIX leptolepis | Japanese Larch |
| 3-4 ft | |
| LESPEDEZA formosa (DESMOD | |
| | Purple Bush Clover |
| 3-4 ft | |
| Pot grown | |
| LIGUSTRUM ibota regelianum | • |
| 3 ft | |
| | California Privet |
| Special prices on large q | • |
| $1\frac{1}{2}$ -2 ft., 2 yr | |
| 2-3 ft., 2 yr | |
| 3-4 ft., 2 yr | |
| 4-5 ft., 3 yr | |
| 5-6 ft | |
| 5-6 ft., heavy | 7 5 |
| GLOBES | |
| 1½' ft., B&B | |
| 2 ft., B&B | 1.20 |
| PYRAMIDS | |
| 4 ft., B&B | |
| 4½ ft., B&B | |
| 5 ft., B&B | |
| 7 ft., B&B | |
| 8 ft., B&B | |
| TREEFORM | |
| $4\frac{1}{2}$ -5 ft., B&B | |
| 5½ ft., B&B | |
| LIGUSTRUM ov. aureum | |
| $1\frac{1}{2}$ -2 ft | |
| $2-2\frac{1}{2}$ ft | |
| GLOBES | |
| 15 in., B&B | |
| 1½ ft., B&B | |
| 2 ft., B&B | |
| 2½ ft., B&B | 1.50 |
| PYRAMIDS | 4.05 |
| 2 ½ ft., B&B | |
| 3 ft., B&B | 1.50 |
| TREEFORM | 1.50 |
| 2 ½ ft | |
| LIQUIDAMBAR styraciflua | |
| $2-2\frac{1}{2}$ in. cal. | |
| 2½ in. cal. | |
| LONICERA tatarica Tata | • |
| 3-4 ft. (red and pink) | |
| LYCIUM chinensis Chinese | •* |
| 3-4 ft | |
| MAGNOLIA glauca | Sweet Bay |
| 4-5 ft | |
| 5-6 ft | 5 . 00 |

| MAGNOLIA soulangeana | Sauc | cer | Magnolia |
|----------------------------------|---|---------------|---|
| 2-3 ft | • | | 2.00 |
| 3-4 ft | | | 2.50 |
| 4-5 ft | | | 4.00 |
| 5-6 ft | • | | 5.00 |
| —nigra | Purple Sauc | er | Magnolia |
| 2-3 ft | - | | 2.50 |
| | | | 4.00 |
| 3-4 ft | | | |
| MALUS atrosanguinea 5-6 ft | | | nine Crab 1.25 |
| baccata | | | rian Crab |
| 5-6 ft | | | |
| 6-8 ft | | | |
| | | 00- | 7.00 |
| eleyi | 1 | 25 | 2 00 |
| 6-9 ft | | | |
| • | apanese Flor | | O . |
| 4-5 ft | | | 1.00 |
| ioensis plena | | | btel Crab |
| 5-6 ft | | | 1.25 |
| 6-9 ft | 1.5 | 0-1 | 3.00 |
| niedzwetzkyana | Re | d - ι | ein Crab |
| 4-5 ft | | | 1.00 |
| 6-8 ft | | | 3.00 |
| parkmanni | | | nan Crab |
| 5-6 ft | | | 1.25 |
| scheideckeri | Schei | | |
| | | | |
| 5-6 ft | | | 1.25 |
| MORUS alba pendula | Tea's Weepin | • | Mulberry 1.25 |
| NYSSA sylvatica | | | our Causa |
| 8-10 ft. B&B | 1 upero o | | |
| | | | |
| OXYDENDRUM arboreum 7-8 ft. | | | Sourwood 3.00 |
| PHILADELPHUS coronarius | | | |
| 3-4 ft | | | |
| | | | |
| —aureus Go | | | .30 |
| —grandiflora Large | Flowering M | [oci | k Orange |
| 3-4 ft | | | .30 |
| 4-5 ft | | | .40 |
| lemoine | | | |
| 2-3 ft | | | • |
| | | | |
| virginalis (Everblooming) 3 ft. | | | |
| | | | Ninebark |
| PHYSOCARPUS opulifolius 4 ft. | | | |
| PLATANUS orientalis | | | |
| $1\frac{3}{4}$ in. cal | _ | | |
| • | | | |
| 2 in. cal | | | 3.00 |
| $\frac{2\frac{1}{4}}{4}$ in. cal | | | 3.75 |
| $2\frac{1}{2}$ in. cal | | | 5.50 |
| $4-4\frac{1}{2}$ in. cal | | 1 | 8.00 |

| DODLIK IIO : 1: | x 1 1 p 1 |
|-------------------------------------|---------------------|
| POPULUS nigra italica 8-10 ft. | Lombardy Poplar |
| 10-12 ft | |
| 12-14 ft | |
| PRUNUS cerasifera pissardi | |
| 5-6 ft | ~ , |
| — Newport | •// |
| 5-6 ft. | 1.00 |
| glandulosa rosea fl. pl. (AM) | |
| | k-flowering Almond |
| 2 ½-3 ft | • |
| PRUNUS serrulata | Oriental Cherry |
| JAPANESE CHERRIES, double | • |
| 5-6 ft | • |
| 6-8 ft. | |
| 8-10 ft. specimens | |
| | |
| James H. Veitch—rose pin | R |
| Kanzan—dark pink | |
| Kofugen—deep rose | |
| NADEN—shell pink | |
| Rosea (Sieboldi)—light pa | ink |
| SHIDARA TAKURA—Weeping | |
| | |
| 5-6 ft. | |
| 6-8 ft | 2.50-6.00 |
| subhirtella pendula Weep | ing Japanese Cherry |
| 6 ft | |
| 7 ft. 5 yr. heads | 5.00-7.50 |
| triloba plena Double P | ink-flowering Plum |
| 3 ft | |
| 3-4 ft. specimens | 1.00 |
| QUERCUS palustris | Pin Oak |
| $1\frac{3}{4}$ -2 in. cal | 3.00 |
| 2-2 1/4 in. cal | 4.00 |
| $2\frac{1}{4}-2\frac{1}{2}$ in. cal | 5. 00 |
| $2\frac{1}{2}-3$ in. cal | |
| $3-3\frac{1}{2}$ in. cal | |
| $3\frac{1}{2}-4$ in. cal. | |
| $4-4\frac{1}{2}$ in. cal | 15.00 |
| RHODOTYPOS kerriodes | White Kerria |
| 3 ft | |
| RHUS cotinus | Smoke Tree |
| 4-5 ft. | |
| ROSA hugonis Go | lden Rose of China |
| multiflora | Japanese Rose |
| 3 ft | |
| rugosa rubra | Red Rugosa Rose |
| 1½-2 ft | |

ROSES

| TEA, | HYBRID | TEA | and | EVERBLOOMING | or |
|------|---------|-------|-----|--------------|----|
| MO | NTHLY R | OSES: | | | |

| 25 cents each unless otherwise noted, |
|--|
| for POT GROWN add 20 cents per plant |
| Ami Quinard— |
| Velvety crimson maroon |
| AUTUMN—burnt orange |
| CHARLES P. KILHAM—coral red |
| and orange |
| Condesa de Sastago—gold and red .50 |
| DAME EDITH HELEN—pink—highly perfumed |
| Duchess of Wellington—saffron yellow |
| EDITH NELLI PERKINS—salmon pink |
| Editor McFarland—brilliant pink .35 |
| E. G. Hill—maroon |
| ETOILE DE HOLLANDE—dark red |
| F. J. Grootendorst (rugosa)—red |
| Golden Dawn—straw yellow35 |
| Golden Pernet—golden yellow35 |
| Grenoble—scarlet |
| Gruss an Aachen (polyantha)—light pink |
| GRUSS AN TEPLITZ—scarlet |
| Joanna Hill—clear yellow |
| Julian Potin—golden yellow |
| Kaiserin Augusta Victoria—white |
| LADY ASHTOWN—pale carmine pink |
| LADY MARGARET STEWART—yellow |
| MARGARET McGredy—brilliant red |
| Mevrouw G. A. Van Rossem— |
| deep orange |
| Miss Rowena Thom—satiny pink |
| MME. ALBERT BARBIER—tawny yellow |
| MME. BUTTERFLY—salmon flesh |
| Mme. Edouard Herriot—orange yellow Mrs. Charles Bell—shell pink |
| MRS. E. P. Thom—yellow |
| Mrs. Henry Morse—two-tone pink |
| Mrs. Pierre S. Du Pont— |
| golden yellow |
| PRESIDENT HOOVER—reddish orange and gold |
| RADIANCE—pink |
| RED RADIANCE—rosy red |
| Rev. F. Page Roberts—Indian yellow |
| with deep carmine |
| Souvenir de Claudius Pernet—yellow |
| Souvenir de Georges Pernet—orange pink |
| SUNKIST—orange copper |
| TALISMAN—coppery yellow |
| VILLE DE PARIS—bright yellow35 |
| WILHELM KORDES—coppery salmon .35 |

CLIMBING ROSES and RAMBLERS

| 25 cents each unle | ess otherwise noted, |
|---|--------------------------|
| for POT GROWN add | 20 cents per plant |
| Pot Grown Plants | OF |
| | |
| ALBERTINE—coppery | |
| ALIDA LOVETT—shell | • |
| large blooms | • |
| AMERICAN PILLAR— | |
| Bess Lovett—red, la | 2 |
| CLIMBING AMERICAN | 9 |
| carmine pink | • |
| CLIMBING GRUSS AN | Teplitz, scarlet |
| EVERBLOOMING | |
| Doctor Van Fleet- | –flesh pink |
| Gardenia—yellow, to | 9 |
| JACOTTE—orange yell | |
| | ECHELIN (Spanish Beauty) |
| pearl pink | |
| MARY LOVETT—whit | <u> </u> |
| New Dawn, Plant P | |
| Everblooming Di | |
| Davida Saanarii Ciri | Pot Grown 1.20 |
| Paul's Scarlet Clin Primrose—pure yelle | |
| Silver Moon—cream | |
| | |
| · · · · · · · · · · · · · · · · · · · | Babylon Weeping Willow |
| 8-9 ft 10-12 ft | 2.50 4.00 |
| | |
| caprea | Pussy Willow |
| 4-5 ft | |
| | Thurlow Weeping Willow |
| 6 in. cal | 25.00 |
| vitellina aurea | Golden Willow |
| 12-14 ft | 4.00 |
| — — pendula | Golden Weeping Willow |
| | 2.50-4.00 |
| | American Elder |
| 4-5 ft | |
| 6-7 ft | |
| SORBUS aucuparia | European Mountain Ash |
| 9-10 ft | • |
| 10-12 ft | |
| $2-2\frac{1}{2}$ in. cal | |
| $2\frac{1}{2}$ -3 in. cal | |
| —pendula | Weeping Mountain Ash |
| 6 ft | - 0 |
| 7-8 ft. heavy heads | |

| SPIREA arguta | Garland Spirea |
|------------------------|----------------------------|
| $2\frac{1}{2}$ -3 ft | |
| 3-4 ft | .40 |
| bumalda ANTHONY | WATERER |
| | Red Everblooming Spirea |
| 1½ ft | ~ ~ |
| prunifolia | Bridal Wreath |
| 3-4 ft | |
| 4-5 ft | |
| | owgarland-Thunberg Spirea |
| $2-2\frac{1}{2}$ ft | 0 |
| van Houttei | Van Houttei Bridal Wreath |
| 3-4 ft | |
| 4-5 ft | |
| STEPHANANDRA flexi | uosa Cutleaf Stephanandra |
| 3 ft | |
| SYMPHORICARPOS rac | cemosus Snowberry |
| 3 ft | |
| vulgaris | Coralberry |
| 3 ft | |
| SYRINGA chinensis (rot | chomagensis) Chinese Lilac |
| 2-3 ft | 0 , |
| 3-4 ft | • |
| villosa | Late Flowering Lilac |
| 3-4 ft | 9 |
| | |
| vulgaris 3-4 ft | Common Purple Lilac |
| 4-5 ft | |
| | |
| | |
| —alba | Common White Lilac |
| 2-3 ft | |
| 3-4 ft | |
| HYBRIDS | |
| (On own roots or | grafted on Lilac.) |
| 2-3 ft | .4 0 |
| 3-4 ft | |
| 4-5 ft | |
| TREEFORM | |
| 5-6 ft | 1.50-2.50 |
| TAMARIX africana | African Tamarix |
| 3-4 ft | · |
| | |

| TILIA americana | American Linden |
|--|----------------------------|
| | |
| $2\frac{1}{4}-2\frac{1}{2}$ in. cal. | Littleleaf European Linden |
| vulgaris (europaea) | European Linden |
| $2\frac{1}{4}-2\frac{1}{2}$ in. cal. $2\frac{1}{2}-3$ in. cal. | |
| ULMUS americana | American Elm |
| $2\frac{1}{2}-3$ in. cal. | 2.50 3.00 4.00 |
| urni | Vase Shaped Elm |
| | |
| • | bosum Highbush Blueberry |
| $2-2\frac{1}{2}$ ft. (heavy $2\frac{1}{2}-3$ ft. " $3-4$ ft. " | " B&B 1.00 " B&B 1.50 |
| pennsylvanicum | Lowbush Blueberry |
| 15-18 in | |
| 3-3 ½ ft | num American Cranberrybush |
| | |
| cassinoides | Withe-rod |
| 3-4 ft | |
| dentatum 3-4 ft | Arrow Wood40 |
| | Linden Viburnum |
| • - | |
| molle 3-4 ft | Kentucky Viburnum |
| opulus 3 ½-4 ft | European Cranberry |

| VIBURNUM—sterile 2-3 ft | Common Snowball |
|---|------------------------|
| sieboldi 3-4 ft. 4-5 ft. | Siebold Viburnum .40 |
| tomentosum plicatum 2½-3 ft. 3-4 ft. 5 ft. | |
| —rotundifolium Roun 4-5 ft. | |
| WEIGELA candida 3-4 ft. | Snow Weigela |
| Eva Rathke <i>Real</i> 2-3 ft | l Everblooming Weigela |
| floribunda 3-4 ft. | Crimson Weigela35 |
| nana variegata D 2-3 ft | |
| rosea 3-4 ft. 4-5 ft. | Pink Weigela |
| ZANTHORHIZA apiifolia 15 in VIN | |
| ACTINIDIA arguta 3 year | |
| Pot grown AKEBIA quinata | |
| 3 year Pot grown | 30 |
| AMPELOPSIS quinquefolia 3 year Pot grown | |
| " " extra tricuspidata (veitchi) 2 year | |
| Pot grown | |
| BIGNONIA grandiflora 3 year Mad. Gallen | |
| 3 yearradicans 3 year | Trumpet Vine |
| Pot grown | |

| CELASTRUS scandens | Bittersweet |
|---------------------------------|---------------------------|
| 3 year | |
| Pot grown | . 50 |
| | Sweet Autumn Clematis |
| 2 year Pot grown | |
| | |
| virginiana Pot grown | <i>Virgins-Bower</i> |
| HEDERA (see EVERGR | EENS, page 6) |
| LONICERA japonica hall | |
| | Hall Japanese Honeysuckle |
| 2 year | |
| Pot grown | |
| periclymenum belgica, y outside | T) 1 1777 - 11 · |
| | Dutch Woodbine |
| 2 year Pot grown | |
| | Trumpet Honeysuckle |
| 2 year | - |
| Pot grown | |
| <u> </u> | Chinese Fleece Vinc |
| | |
| 2 year | |
| | |
| RAMBLERS (see page 27 | 7) |
| WISTERIA sinensis | Chinese Wisteria |
| | 4060 |
| Heavy specimens | 1.00-3.00 |
| FRUIT TREES | AND BUSHES |
| APPLES | |
| APRICOTS | |
| CHERRIES | |
| GRAPES 2 yr. | |
| 6-8 ft | |
| NUTS; Hazelnut | 75 |
| PEACHES | |
| PEARS | 6 0 |
| PLUMS | |
| QUINCES | |
| HARDY HERBACE | OUS PERENNIALS |
| | |
| CYPRIPEDIUM acaule | Lady's Slipper |
| | |
| DICENTRA spectabilis | Bleeding Heart |
| Field grown | |
| Pot grown | |

| HOSTA plantaginea grandiflora (FUNKIA) | |
|--|----------|
| Big Plantain Lily | |
| variegata Variegated Plantain Lily .08 | |
| IRIS kaempferi Japanese Iri. | S |
| Assorted colors - large clumps35 | |
| LİLIUM | |
| hansoni—orange yellow - pot grown .25 | |
| henryi—orange yellow - "" .25 regale—white flushed with yellow, pink outside | , |
| Field grown | • |
| Pot grown | |
| speciosum rubrum magnificum carmine spottea Pot grown .25 | l |
| tenuifolium, scarlet—a gem for the rockgarden | |
| Three bulbs per pot | |
| tigrinum, salmon orange - Pot grown .20 | |
| tigrinum flore pleno - salmon orange | |
| Pot grown .20 | |
| umbellatum erectum - deep orange | |
| Pot grown .20 | |
| PACHYSANDRA terminalis (see EVERGREEN3 page 9) | |
| PAEONIA Peony | , |
| (separate colors) | |
| Pot grown | |
| PHLOX decusata Garden Phlox | 200 |
| Attraction—salmon pink | |
| GENERAL PETAIN—wine color10 | |
| H. B. May—clear pink, very large | |
| Leo Schlageter—carmine | |
| divaricata Blue Phlox | <i>-</i> |
| | |
| | |
| SEMPERVIVUM arachnoideum Spiderweb Houseleek | |
| SEMPERVIVUM arachnoideum S <i>piderweb Houseleek</i> .10 housenechti .08 | |

REED MATS

These mats are stronger than the ordinary as they are tied with six strands of tarred cord. They are used for windbreaks, rustic fences and covering for hot beds.

6x6 ft. \$1.50 each — \$14.00 per 10

Red Chokeberry

PEAT MOSS

Prices according to market fluctuation.

LAWN GRASS-SEED

Prices according to market fluctuation.

BERRY-BEARING TREES AND SHRUBS

RED BERRIES

ARONIA arbutifolia

BERBERIS thunbergi Japanese Barberry BERBERIS thunbergi atropurpurea Red-leaf Japanese Barberry White Flowering Dogwood Kousa Dogwood CORNUS florida CORNUS kousa COTONEASTER horizontalis Rock Cotoneaster EUONYMUS alatus Winged Euonymus GAULTHERIA procumbens Checkerberry Mountain Winterberry ILEX monticola ILEX opaca American Holly ILEX verticillata Common Winterberry LONICERA tatarica Tatarian Honeysuckle MALUS (red, yellow and apple colored berries) Flowering Crab Apple NYSSA sylvatica Tupelo or Sour Gum Scarlet Firethorn PYRACANTHA coccinea ROSA multiflora Japanese Rose ROSA rugosa Rugosa Rose European Mountain Ash SORBUS aucuparia SYMPHORICARPOS vulgaris Coralberry **TAXUS** American Cranberry Bush VIBURNUM americanum VIBURNUM dilatatum Linden Viburnum VIBURNUM opulus European Cranberry

WHITE BERRIES

CORNUS alba

CORNUS stolonifera lutea

PACHYSANDRA terminalis

SYMPHORICARPOS racemosus

Coral Dogwood

Goldenbark Dogwood

Japanese Spurge

Snowberry

ORANGE BERRIES

CELASTRUS scandens

EUONYMUS radicans vegetus

EUONYMUS yeodoensis

Bittersweet

Big Leaf Wintercreeper

Chinese Euonymus

BLACK BERRIES

AMELANCHIER canadensis

ARONIA melanocarpa
BERBERIS verruculosa
ILEX crenata
ILEX glabra
RHODOTYPOS kerrioides
VIBURNUM sieboldi

Downy Shadblow
Black Chokeberry
Black Chokeberry
Black Chokeberry
Black Chokeberry
Black Chokeberry
Black Chokeberry
White Kerria

BLUE & BLUE-BLACK BERRIES

AMPELOPSIS quinquefolia Virginia Creeper AMPELOPSIS tricuspidata Boston Ivy BERBERIS julianae Chinese Beauty Berry Spreading Regal Privet CALLICARPA purpurea LIGUSTRUM ibota regelianum MAHONIA aquifolium Oregon Hollygrape VACCINIUM corymbosum Highbush Blueberry Lowbush Blueberry VACCINIUM pennsylvanicum VIBURNUM cassinoides Withe-Rod VIBURNUM dentatum Arrowwood VIBURNUM lentago Nannyberry

INDEX OF BOTANICAL AND COMMON NAMES

| Page | Page |
|---------------------|--------------------------|
| Abelia3 | Cotoneaster6 |
| Abies3 | Crab Apples, Flowering24 |
| Acanthopanax18 | Cranberry29 |
| Acer18 | Crataegus21 |
| Actinidia30 | Cryptomeria6 |
| Aesculus19 | Cydonia21 |
| Akebia30 | Cypress6, 11 |
| Almond25 | Cypripedium31 |
| Amelanchier19 | Cystisus21 |
| Ampelopsis30 | Daphne6, 21 |
| Amygdalis19 | Deutzia21 |
| Andromeda10 | Devil's Walking Stick19 |
| Apples31 | Dicentra31 |
| Apricots31 | Dogwood20 |
| Aralia18, 19 | Douglas Fir11 |
| Arborvitae16 | Elder27 |
| Aronia19 | Elm29 |
| Arrow-wood29 | English Ivy6 |
| Ash22 | Enkianthus21 |
| Azalea3, 19 | Euonymus6, 21 |
| Barberry4, 20 | Exochorda21 |
| Beauty Berry20 | Fagus21 |
| Beauty Bush22 | Filbert21 |
| Beech21 | Fir3, 11 |
| Berberis4, 20 | Firethorn11 |
| Betula20 | Fleece Vine31 |
| Bignonia30 | Forsythia21 |
| Biota17 | Franklinia22 |
| Birch20 | Fraxinus22 |
| Bittersweet31 | Funkia32 |
| Bleeding Heart31 | Gaultheria6 |
| Blueberry29 | Gingko22 |
| Boston Ivy30 | Golden Bell21 |
| Boxwood4 | Golden Chain23 |
| Bridal Wreath28 | Goldflower22 |
| Budleia20 | Gordonia22 |
| Burning Bush6 | Grapes31 |
| Bush Clover23 | Gymnocladus22 |
| Butterfly Bush 20 | Hawthorn21 |
| Buxus4 | Heather5 |
| California Privet23 | Hedera6 |
| Calycanthus20 | Hemlock17 |
| Callipcarpa20 | Hibiscus22 |
| Calluna5 | Holly6 |
| Catalpa20 | Hollygrape9 |
| Cedar5, 8 | Honeysuckle 23. 31 |
| Cedrus5 | Horsechestnut19 |
| Celastrus31 | Hosta 32 |
| Cephalotaxus5 | Housleek32 |
| Cercis20 | Hydrangea22 |
| Chamaecyparis6 | Hypericum22 |
| Checkerberry6 | Ilex |
| Cherries31 | Inkberry7 |
| Cherry, Flowering25 | Iris32 |
| Cherry, Weeping25 | Ivy, Boston30 |
| Clematis31 | Ivy, English6 |
| Chokeberry19 | Japanese Maple18 |
| Clethra20 | Jasmine22 |
| Coffee Tree22 | Jasminum22 |
| Comptonia20 | Juniper |
| Coral Berry28 | Juniperus |
| Cornus20 | Kalmia8 |
| Corylus21 | Kerria22, 25 |

INDEX—Continued

| Page | Page |
|--|---|
| Koelreuteria 22 | Pyracantha |
| Kolkwitzia | Onercus |
| 1 | Ouince Ulemenine 21 |
| Lady's Slipper 31 Larch 23 Larix 23 | Quinces 31 |
| Larch 23 | Ramblers |
| Larix 23 | Redbud20 |
| Laurel 8 | Retinospora11 |
| Leiophyllum 8 Lespedeza 23 | Rhododendron 13 |
| Lespedeza 23 | Rhodotypos25 |
| Leucothoe 8 | Rhus 25 |
| Tiquetrum 23 | Ross 7 |
| Lilac | Rose of Sharon 22 |
| Lilium 32 | Roses26 |
| Tilv 5 12 12 12 132 | Salix = |
| Linden 29 Liquidambar 23 | Sambucus27 |
| Liquidambar 23 | Sand Myrtle 8 |
| Lonicera 8, 23, 31 Lycium 23 Magnolia 23 Mahonia 9 | Sempervivum 32 |
| Lycium 23 | Sciadopitys14 |
| Magnolia 23° | Scotch Broom21 |
| Mahonia 9 | Shadblow19 |
| Maidenhair Tree | Smoke Tree25 |
| Malus | Snowball30 |
| Maple 18 | Snowberry28 |
| Matrimony Vine23 | Sorbus |
| Mock Orange24 | Sorbus 27 Sour Gum 24 |
| Morus 24 | Sourwood24 |
| Mountain Ash27 | Spirea 28 |
| Mountain Laurel8 | Spruce9 |
| Mulberry 24 Nannyberry 29 | Spurge 9 |
| Nannyberry 29 | Stephanandra28 |
| Nine Bark 24 | Summersweet 20 |
| Norway Maple18 | Sweet Bay23 |
| Norway Maple | Sweet Fern20 |
| Oak 225 | Sweet Shrub20 |
| Oxydendrum24 | Sweet Gum23 |
| Pachysandra 9 | Symphoricarpos28 |
| Pachysandra 9 Paeonia 32 Peaches 31 | Syringa28 |
| Peaches 31 | Tamarix28 |
| Peach, Flowering 19 Pearl Bush 21 Pears 31 | Taxus14 |
| Pearl Bush21 | Thuja16 |
| Pears 31 | Tilia29 |
| Peony 32 Periwinkle 18 Phlor 32 | Trumpet Vine30 |
| Periwinkle 18 | Tsuga17 |
| I II II I A Divini and the second sec | 1 1111CH) |
| Philadelphiie 24 | Ulmus29 |
| Physocarpus 24 | Umbrella Pine14 |
| Picea 9 Pieris 10 | Vaccinium29 |
| Pieris10 | Varnish Tree22 |
| Pine 10 Pinus 10 Plane Tree 24 | Viburnum18, 29 |
| Pinus 10 | Vinca 18 |
| Plane Tree24 | Virginia Creeper30 |
| Platanus24 | |
| Plum, Flowering25 | Weigela30 |
| Plum, Yew | White Birch |
| Plums | Willow27 |
| Polygonum 31 | Winterberry22 |
| Poplar 25 | Wintercreeper6 |
| Points 2) | Wisteria31 |
| Prince 23 | Withe-Rod 29 Woodbine 31 |
| Populus 25 Privet 23 Prunus 25 Prandetones 11 | Yellow Root 30 |
| Pseudotsuga 11 Purple Beach 21 | |
| D With | Zanthorphiza30 |
| Pussy Willow28 | Zanthorphiza |

